L Number	Hits	Search Text	DB	Time stamp
1	0	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (detect$3) with ((environment near3 (variable parameter)) (path$4 near4 (variable parameter sequenc$3)) ((run-time (run$4 adj2 time) operat$3 compil$5 execut$5 build) near4 environment))) same (process$3 run$4 execut$3) same (program application software) same (data near4 process$3)) and ((affect$3 effect$3) and ((proper$3 correct$3 right) near4 (file director$3 path execut$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 07:48
2	570	((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:17
3	115	((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 07:55
5	32	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (detect$3) with ((environment near3 (variable parameter)) (path$4 near4 (variable parameter sequenc$3)) fil$3 director$3)) same (process$3 run$4 execut$3) same (program application software) same (data near4 process$3)) and ((affect$3 effect$3) and ((proper$3 correct$3 right) near4 (file director$3 path execut$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 07:58
6	32	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (detect$3) with ((environment near3 (variable parameter)) (path$4 near4 (variable parameter sequenc$3)) fil$3 director$3)) same (process$3 run$4 execut$3) same (program application software) same (data near4 process$3)) and ((affect$3 effect$3) and ((proper$3 correct$3 right) near4 (file director$3 path execut$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 07:59
4	26	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software)) and ((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (path$4 configur$7 set$4) with (fil$3 director$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:22
10	15383	((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:20
11	482	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3))))) and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:21
12	3600	((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software) same (program$4 application modul$3 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:21
13	12078	((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) and ((program$4 application modul$3 software) same (program$4 application modul$3 software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:21

14	371	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software) same (program$4 application modul$3 software)) and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:23
16	150	((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software) same (program$4 application modul$3 software)) and 717/$.ccls.) and ((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (path$4 configur$7 set$4) with (fil$3 director$3 variable parameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:23
17	482	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) and ((program$4 application modul$3 software) same (program$4 application modul$3 software))) and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 08:23
18	208	((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) and ((program$4 application modul$3 software) same (program$4 application modul$3 software))) and 717/$.ccls.) and ((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (path$4 configur$7 set$4) with (fil$3 director$3 variable parameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:05
8	32	(((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3))))) and 717/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:04
20	133	((((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software) same (program$4 application modul$3 software)) and 717/$.ccls.) and ((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (path$4 configur$7 set$4) with (fil$3 director$3 variable parameter))) not (((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software)) and ((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (path$4 configur$7 set$4) with (fil$3 director$3))) not ((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (detect$3) with ((environment near3 (variable parameter)) (path$4 near4 (variable parameter sequenc$3)) fil$3 director$3)) same (process$3 run$4 execut$3) same (program application software) same (data near4 process$3)) and ((affect$3 effect$3) and ((proper$3 correct$3 right) near4 (file director$3 path execut$5)))) not ((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (detect$3) with ((environment near3 (variable parameter)) (path$4 near4 (variable parameter sequenc$3)) fil$3 director$3)) same (process$3 run$4 execut$3) same (program application software) same (data near4 process$3)) and ((affect$3 effect$3) and ((proper$3 correct$3 right) near4 (file director$3 path execut$5)))) not ((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3))))) and 717/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:06

| 21 | 190 | (((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (((execut$5 run$9 compil$5 operat$3 build) near4 environment) (environment near3 variable) (path$4 near4 (variable sequenc$3)))) and ((program$4 application modul$3 software) same (program$4 application modul$3 software))) and 717/$.ccls.) and ((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (path$4 configur$7 set$4) with (fil$3 director$3 variable parameter))) not ((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3)))) same (program$4 application modul$3 software)) and ((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (path$4 configur$7 set$4) with (fil$3 director$3))) not ((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (detect$3) with ((environment near3 (variable parameter)) (path$4 near4 (variable parameter sequenc$3)) fil$3 director$3)) same (process$3 run$4 execut$3) same (program application software) same (data near4 process$3)) and ((affect$3 effect$3) and ((proper$3 correct$3 right) near4 (file director$3 path execut$5)))) not ((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (detect$3) with ((environment near3 (variable parameter)) (path$4 near4 (variable parameter sequenc$3)) fil$3 director$3)) same (process$3 run$4 execut$3) same (program application software) same (data near4 process$3)) and ((affect$3 effect$3) and ((proper$3 correct$3 right) near4 (file director$3 path execut$5)))) not ((((chang$3 modif$7 edit$3 alter$3 delet$3 add$3 mov$3 remov$3 updat$3 correct$3) with (execut$5 run$9 compil$5 operat$3 build) with ((environment near3 variable) (path$4 near4 (variable sequenc$3))))) and 717/$.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/25 13:06 |